

Y Closure

Product Technical sheet

Product Description

Each Kit shall comprise of the following components:

- Lower Shell (1pc)
- Upper Shell (1pc)
- Lower Cap (3pcs)
- Upper Cap (3pcs)



Technical Specification

Materials:

Shell: ABS

Claw: POM

Cap: ABS

Dimensions:

Length: 290mm (11.4").

Width: 205mm (8.1").

Height: 87mm (3.4").

Weight: 430g

Color:

Shells: Black

All the other plastic parts are black, or white.

Crush: 1000N/10mins

Impact: >20 joule

Pull-out: >1000N

For duct size: OD 40mm



T Closure

Product Technical sheet

Product Description

Each Kit shall comprise of the following components:

- Lower Shell (1pc)
- Upper Shell (1pc)
- Claw (3pc)
- Lower Cap (3pcs)
- Upper Cap (3pcs)

Technical Specification

Materials:

Shell: ABS

Claw: POM

Cap: ABS

Dimensions:

Length: 360mm (14.2").

Width: 220mm (8.7").

Height: 87mm (3.4").

Weight: 540g

Color: Shells are Black

All the other plastic parts are black, or white.

Crush: 1000N/10mins

Impact: >20 joule

Pull-out: >1000N

For Duct Size: OD 40mm



Product Description

Each Kit shall comprise of the following components:

- Lower Shell (1pc)
- Upper Shell (1pc)
- Seal (1pc)
- Upper Cap (2pcs)
- Pin (4pcs)
- Spacers (2pcs)
- Self-tapping Pozi-driv countersunk screws (4pcs)
- Port supports (2pcs)
- Hose Clips (2pcs)



Technical Specification

Materials:

Shell: PP

Spacers: Nylon

Seal TPE

Port Supports: Polypropylene

Clamp Plates: Nylon

Dimensions:

Length: 615mm (24.2").

Width: 159mm (6.26").

Height: 108mm (4.25").

Weight: 2040g

Color: Shells to be Black

All the other plastic parts are to be black.

Application: DB or DI

For Duct size: OD 50mm

